

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/645,421	(	08/21/2003	James J. Ross	082454-0102	082454-0102 8063	
26371	7590	12/07/2004		EXAMINER		
FOLEY &			KOVACS, ARPAD F			
SUITE 3800		IN AVENUE		ART UNIT PAPER NUMBER  3671  DATE MAILED: 12/07/2004		
MILWAUK	EE, WI	53202-5308				

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	~ /				
	10/645,421	ROSS ET AL.	VU				
Office Action Summary	Examiner	Art Unit					
	Árpád Fábián Kovács	3671					
The MAILING DATE of this communication app Period for Reply	l '	correspondence a	ddress				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tir within the statutory minimum of thirty (30) day fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered time the mailing date of this (D) (35 U.S.C. § 133).	ely. communication.				
Status			-				
1) Responsive to communication(s) filed on 30 No.	ovember 2004.						
	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1-51</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdraw							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-51</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a	)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. ☐ Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents							
3.☐ Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	Paper No(s)/Mail D  5) Notice of Informal R	ate Patent Application (PT	O-152)				
Paper No(s)/Mail Date	6) Other:	EL	,				
U.S. Patent and Trademark Office	A. 0		2-1- 1205000 1				
PTOL-326 (Rev. 1-04) . Office Ac	tion Summary P	art of Paper No./Mail (	Date 12052004				

Application/Control Number: 10/645,421

Art Unit: 3671

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rosenblad (DES 295865) and Plamper et al (4362228), in view of Legris (4810009).

In the interest of expediting the prosecution of the case, Examiner forgoes maintaining the 102(b) rejection over Wadzinski, but it is not admitted to have been overcome by the new amendment and/or arguments presented. Furthermore, this rejection is set to illustrate that the two different embodiments in fig 1-3 vs fig 4-7, of a resilient split pipe was well known in the art.

Examiner grouped the claims as follows:

Group I: using a flexible pipe to deform resiliently under pressure to accommodate the control bar (24, 224), figs. 4-7;

Group II: using again a flexible pipe to deform resiliently under pressure to accommodate the handle bar; which is in essence reversal of the place the flexible split pipe is attached; although some of the claims directed toward the size of the channel, gap, or opening, however, this feature is well within the skill to one having ordinary skill

**Art Unit: 3671** 

in the art to make the split pipe having varying gap size. (also see in re the location of parts: *In re Japikse*, 86 USPQ 70)

Although in the interest of making matters more obvious, Examiner chose

Plamper & Rosenblad as teaching the basic structure, including various designs for the control bar. The prior art is modified by utilizing a well known split pipe, placed (attached) either to the handle or to the control bar. Such resilient split pipe have been well known, the Examiner takes Official Notice, however to eliminate the need in the future to provide evidence of a resilient split pipe, the Examiner further provides Legris as one example of a teaching that a split resilient ring holding a pipe (or in case of the combination, either the handle or the control bar) is well known (col. 1, ln 33-34) in order to make the connection instantaneous.

Examiner is aware based on the earlier interview with the applicant, that a more detailed rejection is preferred; however, the Examiner in view of the simplicity of the invention, does not feel that it is necessary to recopy or to paraphrase all of the claims.

Finally, as shown in the prior art cited, a handle bar or control bar keeper in various forms, shapes designs, and material designs have been known. Therefore, utilizing an already known "split resilient pipe" is nothing new.

Application/Control Number: 10/645,421

Art Unit: 3671

The method & the functional language as recited in the apparatus & method claims of inserting/removing to either the handle or to the control bar is obvious, since the split resilient pipe fitted/attached in this manner.

## Response to Arguments

3. Applicant's arguments with respect to claims 11/30/2004 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 3671

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Árpád Fábián Kovács whose telephone number is 703-308-5897. The examiner can normally be reached on Mo-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas B. Will can be reached on 703 308 3870. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Árpád Fábián Kovács Primary Examiner Art Unit 3671

ÁFK